

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 7/1/2021 Revision date: 12/14/2022 Supersedes version of: 10/7/2022 Version: 5.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance

Substance name : Lemon Furocoumarin Free Organic Essential Oil, Italy

CAS-No. : 8008-56-8
Product code : 22025_ITA
Type of product : Essential oil
Product group : Raw material

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

SIRIUS SAS

57 Chemin de la Métairie Haute 81580 CAMBOUNET SUR LE SOR

France

T + 33 (0)5-32-09-11-72 contact@sirius-bio.com

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 3

Acute toxicity (oral), Category 4

Skin corrosion/irritation, Category 2

H315

Skin sensitisation, Category 1

H317

Reproductive toxicity, Category 2

H361

Hazardous to the aquatic environment – Acute Hazard, Category 1

H400

Hazardous to the aquatic environment – Chronic Hazard, Category 1

H410

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Flammable liquid and vapour. Suspected of damaging fertility or the unborn child. Harmful if swallowed. Causes skin irritation. May cause an allergic skin reaction. Very toxic to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)









GHS02

GHS07

GHS08

GHS09

Signal word (CLP) : Warning

Hazard statements (CLP) : H226 - Flammable liquid and vapour.

H302 - Harmful if swallowed. H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H361 - Suspected of damaging fertility or the unborn child. H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P201 - Obtain special instructions before use.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P261 - Avoid breathing vapours, spray.

P280 - Wear protective clothing, eye protection, protective gloves.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

P321 - Specific treatment (see supplemental first aid instruction on this label).

P391 - Collect spillage.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Name : Lemon Furocoumarin Free Organic Essential Oil, Italy

CAS-No. : 8008-56-8

Name			Classification according to Regulation (EC) No. 1272/2008 [CLP]	
Limonene	CAS-No.: 138-86-3 EC-No.: 227-813-5 EC Index-No.: 601-096-00-2 REACH-no: 01-2119529223-47	50 – 80	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	
Beta Pinene	CAS-No.: 127-91-3 EC-No.: 204-872-5	5 – 20	Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317	
Gamma terpinene	CAS-No.: 99-85-4 EC-No.: 202-794-6	5 – 20	Repr. 2, H361 Flam. Liq. 3, H226 Asp. Tox. 1, H304 Aquatic Chronic 2, H411	
Citral (neral + geranial) *	CAS-No.: 5392-40-5 EC-No.: 226-394-6 EC Index-No.: 605-019-00-3 REACH-no: 01-2119462829- 23	1 – 10	Eye Irrit. 2, H319 Skin Irrit. 2, H315 Skin Sens. 1, H317	
Myrcene	CAS-No.: 123-35-3 EC-No.: 204-622-5	1 – 5	Asp. Tox. 1, H304 Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 2, H411 Flam. Liq. 3, H226 Skin Irrit. 2, H315	
Sabinene	CAS-No.: 3387-41-5 EC-No.: 222-212-4	1 – 5	Acute Tox. 4 (Oral), H302	
Paracymene	CAS-No.: 99-87-6 EC-No.: 202-796-7 EC Index-No.: 601-094-00-1	< 5	Repr. 2, H361 Flam. Liq. 3, H226 Asp. Tox. 1, H304 Aquatic Chronic 2, H411 Acute Tox. 3 (Inhalation), H331	
Alpha trans bergamotene	CAS-No.: 13474-59-4	< 5	Asp. Tox. 1, H304	
Beta bisabolene	CAS-No.: 495-61-4	< 5	Acute Tox. 4 (Inhalation:dust,mist), H332	
Geranyl acetate	CAS-No.: 105-87-3 EC-No.: 203-341-5	< 5	Skin Sens. 1B, H317 Skin Irrit. 2, H315 Aquatic Chronic 3, H412	
1,8 Cineole	CAS-No.: 470-82-6 EC-No.: 207-431-5	< 1	Flam. Liq. 3, H226 Skin Sens. 1B, H317 Eye Irrit. 2, H319	
Geraniol *	CAS-No.: 106-24-1 EC-No.: 203-377-1 EC Index-No.: 603-241-00-5 REACH-no: 01-2119552430-	< 1	Skin Sens. 1, H317 Aquatic Chronic 3, H412	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Linalool *	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016- 42	< 1	Skin Sens. 1B, H317
Camphor	CAS-No.: 76-22-2 EC-No.: 200-945-0	< 0.1	STOT SE 2, H371 Skin Irrit. 2, H315 Flam. Sol. 2, H228 Eye Dam. 1, H318 Aquatic Chronic 2, H411 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332

Full text of H- and EUH-statements: see section 16

3.2. Mixtures

Not established.

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : IF exposed or concerned: Get medical advice/attention. Call a poison center or a doctor if

you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Rinse skin with water/shower. Take off immediately all contaminated clothing. If skin

irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Rinse mouth. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapour. Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with

skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or

public waters.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

12/14/2022 (Revision date) FR - en 3/13

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

Hygiene measures

: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment.

Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Camphor (76-22-2)		
France - Occupational Exposure Limits		
Local name	Camphre	
VME (OEL TWA)	12 mg/m³	
VME (OEL TWA) [ppm]	2 ppm	
Remark	Valeurs recommandées/admises	
Regulatory reference	Circulaire du Ministère du travail (réf.: INRS ED 984, 2016)	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):







8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hand protection:

Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : Colorless to yellow. light green.

Odour : characteristic.
Odour threshold : Not available
Melting point : Not applicable
Freezing point : Not available
Boiling point : Not available

Flammability : Flammable liquid and vapour.

Explosive limits : Not available Lower explosion limit : Not available Upper explosion limit : Not available Flash point : 49 °C Auto-ignition temperature : Not available Decomposition temperature : Not available : Not available рΗ Viscosity, kinematic : Not available Solubility : Not available Partition coefficient n-octanol/water (Log Kow) : Not available : Not available Vapour pressure Vapour pressure at 50 °C : Not available : Not available Density Relative density : 0.839 - 0.855 Relative vapour density at 20 °C : Not available

Particle characteristics

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable liquid and vapour.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

: Not applicable

Safety Data Sheet

SECTION 11: Toxicological information

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

11.1. Information on hazard classes as defined	
	Harmful if swallowed. Not classified
	Not classified
Beta bisabolene (495-61-4)	
LC50 Inhalation - Rat (Dust/Mist)	1.5 mg/l/4h
Beta Pinene (127-91-3)	
LD50 oral rat	300 – 2000 mg/kg OCDE 423
LD50 dermal rat	> 2000 mg/kg
Citral (neral + geranial) * (5392-40-5)	
LD50 oral rat	≈ 6800 mg/kg bodyweight Animal: rat
LD50 oral	4960 mg/kg bodyweight
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat
LD50 dermal	2250 mg/kg bodyweight
Gamma terpinene (99-85-4)	
LD50 oral	3650 mg/kg bodyweight
Geraniol * (106-24-1)	
LD50 oral rat	3600 mg/kg bodyweight Animal: rat, 95% CL: 2840 - 4570
LD50 oral	2100 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg bodyweight Animal: rabbit
LD50 dermal	> 5000 mg/kg bodyweight
Limonene (138-86-3)	
LD50 oral	4400 mg/kg bodyweight
LD50 dermal	> 2000 mg/kg bodyweight
Linalool * (78-70-6)	
LD50 oral rat	2790 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 2440 - 3180
LD50 oral	2790 mg/kg bodyweight
LD50 dermal rabbit	5610 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), 95% CL: 3578 - 8374
LD50 dermal	5610 mg/kg bodyweight
Paracymene (99-87-6)	
LD50 oral	4750 mg/kg bodyweight
LC50 Inhalation - Rat (Vapours)	9.7 mg/l/4h
1,8 Cineole (470-82-6)	
LD50 oral	2480 mg/kg bodyweight
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal))
Camphor (76-22-2)	
LD50 oral	1500 mg/kg bodyweight
LC50 Inhalation - Rat	0.5 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)
LC50 Inhalation - Rat (Dust/Mist)	1.5 mg/l/4h
	Causes skin irritation.
Serious eye damage/irritation	Not aloogified
-	Not classified May cause an allergic skin reaction.

Safety Data Sheet

according to the DEACH Population	(EC)	1907/2006 amended by Regulation (E	III\ 2020/979
according to the NEACH Negulation	\cup	1 1301/2000 amended by Nedulation (L	_012020/010

Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Citral (neral + geranial) * (5392-40-5)	
NOAEL (chronic, oral, animal/male, 2 years)	60 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other:Effect type: toxicity (migrated information)
Geraniol * (106-24-1)	
NOAEL (chronic, oral, animal/male, 2 years)	60 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other:
Reproductive toxicity	: Suspected of damaging fertility or the unborn child.
STOT-single exposure	: Not classified
Camphor (76-22-2)	
STOT-single exposure	May cause damage to organs.
STOT-repeated exposure	: Not classified
Citral (neral + geranial) * (5392-40-5)	
LOAEC (inhalation, rat, gas, 90 days)	68 ppm Animal: rat, Animal sex: female
NOAEL (oral, rat, 90 days)	100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
NOAEC (inhalation, rat, gas, 90 days)	34 ppm Animal: rat, Animal sex: female
NOAEL (subchronic, oral, animal/male, 90 days)	60 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
Geraniol * (106-24-1)	
NOAEL (dermal, rat/rabbit, 90 days)	300 mg/kg bodyweight Animal: rat, Guideline: other:, Guideline: other:
Linalool * (78-70-6)	
LOAEL (dermal, rat/rabbit, 90 days)	Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)
1,8 Cineole (470-82-6)	

7-2-2-37	
NOAEL (oral, rat, 90 days)	600 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: other:japanese Ministry
	of Economy Trade and Industry Guideline for 28 day repeat oral dose toxicity study.,
	Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents),

Guideline: EPA OPPTS 870.3150 (90-Day Oral Toxicity in Nonrodents) Camphor (76-22-2)

Aspiration hazard :	Not classified
	250 mg/kg bodyweight Animal: rat, Guideline: other:Food and Drug Administration (FDA) Good Laboratory Practice Regulations for Nonclinical Studies (GLP Guidelines)

Linalool * (78-70-6) Viscosity, kinematic 5.192 mm²/s 11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

: Very toxic to aquatic life with long lasting effects. Ecology - general

Hazardous to the aquatic environment, short-term : Very toxic to aquatic life.

Hazardous to the aquatic environment, long-term

: Very toxic to aquatic life with long lasting effects. (chronic)

Not rapidly degradable

Citral (neral + geranial) * (5392-40-5)	
LC50 - Fish [1]	6.78 mg/l Test organisms (species): Leuciscus idus
EC50 - Crustacea [1]	6.8 mg/l Test organisms (species): Daphnia magna

12/14/2022 (Revision date) FR - en 7/13

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Citral (neral + geranial) * (5392-40-5)		
EC50 - Other aquatic organisms [1]	7 mg/l waterflea	
EC50 - Other aquatic organisms [2]	5 mg/l	
EC50 72h - Algae [1]	103.8 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	
Geraniol * (106-24-1)		
LC50 - Fish [1]	≈ 22 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)	
EC50 - Crustacea [1]	10.8 mg/l Test organisms (species): Daphnia magna	
EC50 - Other aquatic organisms [1]	10.8 mg/l waterflea	
EC50 - Other aquatic organisms [2]	13.1 mg/l	
EC50 72h - Algae [1]	13.1 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	
Limonene (138-86-3)		
LC50 - Fish [1]	0.72 mg/l	
EC50 - Other aquatic organisms [1]	0.36 mg/l waterflea	
Linalool * (78-70-6)		
LC50 - Fish [1]	27.8 mg/l	
EC50 - Crustacea [1]	59 mg/l Test organisms (species): Daphnia magna	
EC50 - Other aquatic organisms [1]	20 mg/l waterflea	
EC50 - Other aquatic organisms [2]	88.3 mg/l	
EC50 96h - Algae [1]	88.3 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	
EC50 96h - Algae [2]	156.7 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	
1,8 Cineole (470-82-6)		
LC50 - Fish [1]	57 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)	
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna	
EC50 72h - Algae [1]	> 74 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	
EC50 96h - Algae [1]	> 74 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	
Camphor (76-22-2)		
LC50 - Fish [1]	35 – 50 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)	
LC50 - Fish [2]	110 mg/l Test organisms (species): Pimephales promelas	
EC50 96h - Algae [1]	6.951 mg/l Test organisms (species):	
12.2. Persistence and degradability No additional information available		
12.3. Bioaccumulative potential		
Citral (neral + geranial) * (5392-40-5)		
Partition coefficient n-octanol/water (Log Pow)	2.8	
Geraniol * (106-24-1)		
Partition coefficient n-octanol/water (Log Pow)	3.5	
Limonene (138-86-3)		
Partition coefficient n-octanol/water (Log Pow)	4.38	
Linalool * (78-70-6)		
Partition coefficient n-octanol/water (Log Pow)	2.84	
(209 : 011)	•	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

Additional information : Flammable vapours may accumulate in the container.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

	OO / IATA / ADIN / RID				
ADR	IMDG	IATA	ADN	RID	
14.1. UN number or ID number					
UN 1197	UN 1197	UN 1197	UN 1197	UN 1197	
14.2. UN proper shippin	g name				
EXTRACTS, FLAVOURING, LIQUID	EXTRACTS, FLAVOURING, LIQUID (Lemon Furocoumarin Free Organic Essential Oil, Italy)	Extracts, flavouring, liquid (Lemon Furocoumarin Free Organic Essential Oil, Italy)	EXTRACTS, FLAVOURING, LIQUID (Lemon Furocoumarin Free Organic Essential Oil, Italy)	EXTRACTS, FLAVOURING, LIQUID (Lemon Furocoumarin Free Organic Essential Oil, Italy)	
Transport document descr	iption				
UN 1197 EXTRACTS, FLAVOURING, LIQUID, 3, III, (D/E), ENVIRONMENTALLY HAZARDOUS	UN 1197 EXTRACTS, FLAVOURING, LIQUID (Lemon Furocoumarin Free Organic Essential Oil, Italy), 3, III, MARINE POLLUTANT/ENVIRONME NTALLY HAZARDOUS	UN 1197 Extracts, flavouring, liquid (Lemon Furocoumarin Free Organic Essential Oil, Italy), 3, III, ENVIRONMENTALLY HAZARDOUS	UN 1197 EXTRACTS, FLAVOURING, LIQUID (Lemon Furocoumarin Free Organic Essential Oil, Italy), 3, III, ENVIRONMENTALLY HAZARDOUS	UN 1197 EXTRACTS, FLAVOURING, LIQUID (Lemon Furocoumarin Free Organic Essential Oil, Italy), 3, III, ENVIRONMENTALLY HAZARDOUS	
14.3. Transport hazard of	class(es)				
3	3	3	3	3	
***************************************	¥2	***************************************	***************************************		
14.4. Packing group					
III	III	III	III	III	
14.5. Environmental hazards					
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	

No supplementary information available 14.6. Special precautions for user

Overland transport

Classification code (ADR) : F1
Special provisions (ADR) : 601
Limited quantities (ADR) : 5I
Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions : T2

(ADR)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Portable tank and bulk container special provisions

(ADR)

Tank code (ADR) : LGBF
Vehicle for tank carriage : FL
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Operation (ADR) : S2
Hazard identification number (Kemler No.) : 30

Hazard identification number (Kemler No.)
Orange plates

30 1197

Tunnel restriction code (ADR) : D/E

Transport by sea

Special provisions (IMDG) : 223, 955 Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 : P001, LP01 Packing instructions (IMDG) IBC packing instructions (IMDG) : IBC03 Tank instructions (IMDG) : T2 Tank special provisions (IMDG) : TP1 EmS-No. (Fire) : F-E

EmS-No. (Spillage) : S-D Stowage category (IMDG) : A

Properties and observations (IMDG) : Usually consist of alcoholic solutions. Miscibility with water depends upon the composition.

Air transport

PCA Excepted quantities (IATA) : E1 PCA Limited quantities (IATA) : Y344 PCA limited quantity max net quantity (IATA) : 10L PCA packing instructions (IATA) : 355 PCA max net quantity (IATA) : 60L CAO packing instructions (IATA) : 366 CAO max net quantity (IATA) : 220L Special provisions (IATA) : A3 ERG code (IATA) : 3L

Inland waterway transport

Classification code (ADN) : F1

Special provisions (ADN) : 601

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Equipment required (ADN) : PP, EX, A

Ventilation (ADN) : VE01

Number of blue cones/lights (ADN) : 0

Rail transport

(RID)

Classification code (RID) : F1
Special provisions (RID) : 601
Limited quantities (RID) : 5L
Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T2
Portable tank and bulk container special provisions : TP1

12/14/2022 (Revision date) FR - en 10/13

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Tank codes for RID tanks (RID) : LGBF
Transport category (RID) : 3
Special provisions for carriage – Packages (RID) : W12
Colis express (express parcels) (RID) : CE4
Hazard identification number (RID) : 30

14.7. Maritime transport in bulk according to IMO instruments

Not established.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

No REACH Annex XVII restrictions

REACH Annex XIV (Authorisation List)

Lemon Furocoumarin Free Organic Essential Oil, Italy is not on the REACH Annex XIV List

REACH Candidate List (SVHC)

Lemon Furocoumarin Free Organic Essential Oil, Italy is not on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Lemon Furocoumarin Free Organic Essential Oil, Italy is not subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 july 2012 concerning the export and import of hazardous chemicals.

POP Regulation (Persistent Organic Pollutants)

Lemon Furocoumarin Free Organic Essential Oil, Italy is not subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Ozone Regulation (1005/2009)

Lemon Furocoumarin Free Organic Essential Oil, Italy is not subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Explosives Precursors Regulation (2019/1148)

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on drug precursors)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information Indication of changes Section Changed item Change Comments Modified Supersedes Revision date Modified Proper Shipping Name (RID) Modified UN-No. (RID) Modified Modified Proper Shipping Name (IATA) Proper Shipping Name (IMDG) Modified Modified 14.1 UN-No. (ADN) 14.1 UN-No. (IATA) Modified UN-No. (IMDG) Modified 14.1 14.1 UN-No. (ADR) Modified 14.2 Proper Shipping Name (ADN) Modified 14.2 Proper Shipping Name (ADR) Modified

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and ac	cronyms:
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Full text of H- and EUH-statements:	
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Aquatic Chronic 2 Hazardous to the aquatic environment – Chronic Hazard, Category 2 Aquatic Chronic 3 Hazardous to the aquatic environment – Chronic Hazard, Category 3 Asp. Tox. 1 Aspiration hazard, Category 1 Eye Dam. 1 Serious eye damage/eye irritation, Category 1 Eye Irrit. 2 Serious eye damage/eye irritation, Category 2 Flam. Liq. 3 Flammable liquids, Category 3 Flam. Sol. 2 Flammable solids, Category 2 H226 Flammable solid. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H331 Toxic if inhaled. H332 Harmful if inhaled. H333 Harmful if inhaled. H334 Suspected of damaging fertility or the unborn child. H371 May cause damage to organs. H400 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.	Full text of H- and EUH-statements:	
Aquatic Chronic 3 Hazardous to the aquatic environment – Chronic Hazard, Category 3 Asp. Tox. 1 Aspiration hazard, Category 1 Eye Dam. 1 Serious eye damage/eye irritation, Category 2 Flam. Liq. 3 Flammable liquids, Category 3 Flam. Sol. 2 Flammable solids, Category 2 H226 Flammable liquid and vapour. H228 Flammable solid. H300 Harmful if swallowed. H301 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H331 Toxic if inhaled. H332 Harmful if inhaled. H334 May cause damage to organs. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.	Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Asp. Tox. 1 Aspiration hazard, Category 1 Eye Dam. 1 Serious eye damage/eye irritation, Category 2 Flam. Liq. 3 Flammable liquids, Category 3 Flam. Sol. 2 Flammable solids, Category 2 H226 Flammable liquid and vapour. H228 Flammable solid. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H331 Toxic if inhaled. H332 Harmful if inhaled. H331 May cause damaging fertility or the unborn child. H371 May cause damage to organs. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic tife with long lasting effects.	Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Eye Dam. 1 Serious eye damage/eye irritation, Category 1 Eye Irrit. 2 Serious eye damage/eye irritation, Category 2 Flam. Liq. 3 Flammable liquids, Category 3 Flam. Sol. 2 Flammable solids, Category 2 H226 Flammable liquid and vapour. H228 Flammable solid. H3002 Harmful if swallowed. H3004 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H331 Toxic if inhaled. H331 Toxic if inhaled. H332 Harmful if inhaled. H331 May cause damage to organs. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.	Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Eye Irrit. 2 Serious eye damage/eye irritation, Category 2 Flam. Liq. 3 Flammable liquids, Category 3 Flam. Sol. 2 Flammable solids, Category 2 H226 Flammable liquid and vapour. H228 Flammable solid. H3002 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. Causes skin irritation. H315 Causes skin irritation. H317 May cause an allergic skin reaction. Causes serious eye damage. H319 Causes serious eye irritation. H331 Toxic if inhaled. H332 Harmful if inhaled. H332 Harmful if inhaled. H331 Suspected of damaging fertility or the unborn child. H371 May cause damage to organs. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.	Asp. Tox. 1	Aspiration hazard, Category 1
Flam. Liq. 3 Flammable liquids, Category 3 Flam. Sol. 2 Flammable solids, Category 2 H226 Flammable liquid and vapour. H228 Flammable solid. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H331 Toxic if inhaled. H332 Harmful if inhaled. H332 Harmful if inhaled. H331 May cause damage to organs. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.	Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Flam. Sol. 2 Flammable solids, Category 2 H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H331 Toxic if inhaled. H332 Harmful if inhaled. H332 Harmful if inhaled. H331 Suspected of damaging fertility or the unborn child. H371 May cause damage to organs. Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Harmful to aquatic life with long lasting effects.	Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flammable liquid and vapour. Flammable solid. Flammable solid. Harmful if swallowed. Harmful if swallowed and enters airways. Hasto Causes skin irritation. Hasto Causes serious eye damage. Causes serious eye irritation. Hasto Causes serious eye irritat	Flam. Liq. 3	Flammable liquids, Category 3
H228 Flammable solid. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H331 Toxic if inhaled. H332 Harmful if inhaled. H334 Suspected of damaging fertility or the unborn child. H371 May cause damage to organs. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.	Flam. Sol. 2	Flammable solids, Category 2
H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H331 Toxic if inhaled. H332 Harmful if inhaled. H332 Suspected of damaging fertility or the unborn child. H371 May cause damage to organs. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.	H226	Flammable liquid and vapour.
H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H331 Toxic if inhaled. H332 Harmful if inhaled. H361 Suspected of damaging fertility or the unborn child. H371 May cause damage to organs. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.	H228	Flammable solid.
H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H331 Toxic if inhaled. H332 Harmful if inhaled. H332 Suspected of damaging fertility or the unborn child. H371 May cause damage to organs. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.	H302	Harmful if swallowed.
H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H331 Toxic if inhaled. H332 Harmful if inhaled. H361 Suspected of damaging fertility or the unborn child. H371 May cause damage to organs. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.	H304	May be fatal if swallowed and enters airways.
H318 Causes serious eye damage. H319 Causes serious eye irritation. H331 Toxic if inhaled. H332 Harmful if inhaled. H361 Suspected of damaging fertility or the unborn child. H371 May cause damage to organs. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.	H315	Causes skin irritation.
H319 Causes serious eye irritation. H331 Toxic if inhaled. H332 Harmful if inhaled. H361 Suspected of damaging fertility or the unborn child. H371 May cause damage to organs. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.	H317	May cause an allergic skin reaction.
H331 Toxic if inhaled. H332 Harmful if inhaled. H361 Suspected of damaging fertility or the unborn child. H371 May cause damage to organs. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.	H318	Causes serious eye damage.
Harmful if inhaled. Suspected of damaging fertility or the unborn child. H371 May cause damage to organs. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.	H319	Causes serious eye irritation.
H361 Suspected of damaging fertility or the unborn child. H371 May cause damage to organs. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.	H331	Toxic if inhaled.
H371 May cause damage to organs. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.	H332	Harmful if inhaled.
H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.	H361	Suspected of damaging fertility or the unborn child.
H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.	H371	May cause damage to organs.
H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.	H400	Very toxic to aquatic life.
H412 Harmful to aquatic life with long lasting effects.	H410	Very toxic to aquatic life with long lasting effects.
	H411	Toxic to aquatic life with long lasting effects.
	H412	Harmful to aquatic life with long lasting effects.
Reproductive toxicity, Category 2	Repr. 2	Reproductive toxicity, Category 2
Skin Irrit. 2 Skin corrosion/irritation, Category 2	Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1 Skin sensitisation, Category 1	Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B Skin sensitisation, category 1B	Skin Sens. 1B	Skin sensitisation, category 1B
STOT SE 2 Specific target organ toxicity – Single exposure, Category 2	STOT SE 2	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.